

学際科学実験センター利用業績一覧 (2008 年 1 月～12 月)

医薬保健研究域・医学系

- (1) Tonchev AB, Boneva NB, Kaplamadzhiev DB, Kikuchi M, Mori Y, Sahara S, Yamashima T. Expression of neurotrophin receptors by proliferating glia in postischemic hippocampal CA1 sector of adult monkeys. *J Neuroimmunol.* 2008; 205(1-2): 20-4.
- (2) Lu L, Tonchev AB, Kaplamadzhiev DB, Boneva NB, Mori Y, Sahara S, Ma D, Nakaya MA, Kikuchi M, Yamashima T. Expression of matrix metalloproteinases in the neurogenic niche of the adult monkey hippocampus after ischemia. *Hippocampus.* 2008; 18(10): 1074-84.
- (3) Yamashima T. A putative link of PUFA, GPR40 and adult-born hippocampal neurons for memory. *Prog Neurobiol.* 2008; 84(2): 105-15.
- (4) Ma D, Lu L, Boneva NB, Warashina S, Kaplamadzhiev DB, Mori Y, Nakaya MA, Kikuchi M, Tonchev AB, Okano H, Yamashima T. Expression of free fatty acid receptor GPR40 in the neurogenic niche of adult monkey hippocampus. *Hippocampus.* 2008; 18(3): 326-33.
- (5) Oyama O, Sugimoto N, Qi X, Takuwa N, Mizugishi K, Koizumi J, Takuwa Y. The lysophospholipid mediator sphingosine-1-phosphate promotes angiogenesis in vivo in ischemic hindlimbs of mice. *Cardiovasc Res.* 2008; 78: 301-307.
- (6) Takuwa Y, Okamoto Y, Yoshioka K, Takuwa N. Sphingosine-1-phosphate signaling and biological activities in the cardiovascular system. *Biophys. Biochim. Acta* 2008; 1781(9): 483-488.
- (7) Takashima S, Sugimoto N, Takuwa N, Okamoto Y, Yoshioka K, Takamura M, Takata S, Kaneko S, and Takuwa Y. G12/13 and Gq mediate S1P2-induced inhibition of Rac and migration in vascular smooth muscle in a manner dependent on Rho but not Rho kinase. *Cardiovasc Res* 2008; 79(4): 689-697.
- (8) Takabatake M, Takuwa T, Takuwa N, Yasuno H, Matsumoto S, Shibutani M, Mitsumori K. A case report of a renal mixed epithelial and stromal tumor in a heterozygous S1P2 receptor deficient mouse. *J Vet Med Sci.* 2008; 70(5): 483-485.
- (9) Nishitsuji M, Fujimura M, Oribe Y, Nakao S. Effect of montelukast in a guinea pig model of cough variant asthma. *Pulm Pharmacol Ther.* 2008; 21(1): 142-145..
- (10) Hara J, Fujimura M, Ueda A, Myou S, Oribe Y, Ohkura N, Kita T, Yasui M, Kasahara K. Effect of pressure stress applied to the airway on cough reflex sensitivity in guinea pigs. *Am J Respir Crit Care Med* 2008; 177 (6): 585-592.
- (11) Waseda Y, Yasui M, Nishizawa Y, Inuzuka K, Takato H, Ichikawa Y, Tagami A, Fujimura M, Nakao S. Angiotensin II type 2 receptor antagonist reduces bleomycin-induced pulmonary fibrosis in mice. *Respir Res.* 2008; 23;9:43.
- (12) Kinoshita Y, Shiga H, Washiyama K, Ogawa D, Amano R, Ito M, Tsukatani T, Furukawa M, Miwa T.: Thallium transport and the evaluation of olfactory nerve connectivity between the nasal cavity and olfactory bulb. *Chemical Senses* 2008; 33: 73-78,.
- (13) Shiga H, Kinoshita Y, Washiyama K, Amano R, Hirota K, Tsukatani T, Furukawa M, Miwa T.: Odor

- detection ability and thallium-201 transport in the olfactory nerve of traumatic olfactory-impaired mice. *Chemical Senses* 2008; 33: 633-637.
- (14) Nishida H, Tsuchiya H, Tomita K. Re-implantation of tumour tissue treated by cryotreatment with liquid nitrogen induces anti-tumour activity against murine osteosarcoma. *J Bone Joint Surg Br.* 2008; Sep;90(9): 1249-55.
- (15) Mochizuki K, Sugimori C, Qi Z, Lu X, Takami A, Ishiyama K, Kondo Y, Yamazaki H, Okumura H, Nakao S. Expansion of donor-derived hematopoietic stem cells with PIGA mutation associated with late graft failure after allogeneic stem cell transplantation. *Blood.* 2008; Sep 1;112(5): 2160-2.
- (16) Lu X, Kondo Y, Takamatsu H, Ohata K, Yamazaki H, Takami A, Akatsuka Y, Nakao S. CD16+ CD56- NK cells in the peripheral blood of cord blood transplant recipients: a unique subset of NK cells possibly associated with graft-versus-leukemia effect. *Eur J Haematol.* 2008; Jul;81(1):18-25.
- (17) Ishizaki J, Ito S, Jin M, Shimada T, Ishigaki T, Harasawa Y, Yokogawa K, Takami A, Nakao S, Miyamoto K. Mechanism of decrease of oral bioavailability of cyclosporin A during immunotherapy upon coadministration of amphotericin B. *Biopharm Drug Dispos.* 2008; May;29(4):195-203.
- (18) Sun C, Nakatake Y, Ura H, Akagi T, Niwa H, Koide H, and Yokota T. Stem cell-specific expression of Dax1 is conferred by STAT3 and Oct3/4 in embryonic stem cells. *Biochem Biophys Res Commun.* 2008; 372:91-96.
- (19) Ura H, Usuda M, Kinoshita K, Sun C, Mori K, Akagi T, Matsuda T, Koide H, and Yokota T. STAT3 and Oct-3/4 control histone modification through induction of Eed in embryonic stem cells. *J Biol Chem.* 2008; 283:9713-9723.
- (20) Kudou T, Weber K, Guse A. H, Potter B. V. L, Hashii M, Higashida H, Arisawa M, Matsuda A. & Shuto S. Design and synthesis of 4'',6''-unsaturated cyclic ADP-carbocyclic ribose as a Ca²⁺-mobilizing agent. *Tetrahedron Letters*, 2008; 49 : 3976-3979.
- (21) Kudou T, Murakami T, Hashii M, Higashida H, Sakurai T, Maechling C, Spiess B, Weber K, Guse A. H, Potter B. V. L, Arisawa M, Matsuda A. & Shuto S. Design and synthesis of 4'',6''-unsaturated cyclic ADP-carbocyclic-ribose, a Ca²⁺-mobilizing agent selectively active in T cells. *Tetrahedron.* 2008; 64 : 9754-9765.
- (22) Higashida H, Jin D, Liu H-X, Lopatina O, Yokoyama S, Koizumi K, Hashii M, Islam S, Md, Hayashi K. & Munesue T. Social memory, mental care and oxytocin secretion, but not vasopressin release, require CD38 in mice. In: *Neurobiology of the Parental Brain*, Bridges, R. S. ed. (Academic Press, San Diego), 2008; pp. 361-375.
- (23) Liu HX, Lopatina O, Higashida C, Tsuji T, Kato I, Takasawa S, Okamoto H, Yokoyama S, Higashida H. Locomotor activity, ultrasonic vocalization and oxytocin levels in infant CD38 knockout mice. *Neurosci Lett.* 2008; 448 : 67-70.
- (24) Anitha A, Nakamura K, Yamada K, Suda S, Thanseem I, Tsujii M, Iwayama Y, Hattori E, Toyota T, Miyachi T, Iwata Y, Suzuki K, Matsuzaki H, Kawai M, Sekine Y, Tsuchiya K, Sugihara G, Ouchi Y, Sugiyama T, Koizumi K, Higashida H, Takei N, Yoshikawa T, Mori N. Genetic analyses of roundabout (ROBO) axon guidance receptors in autism. *Am J Med Genet B Neuropsychiatr Genet.* 147B : 1019-1027, 2008.
- (25) Hamaguchi Y, Hasegawa M, Fujimoto M, Matsushita T, Komura K, Kaji K, Kondo M, Nishijima C, Hayakawa I, Ogawa F, Kuwana M, Takehara K, Sato S, The clinical relevance of serum antinuclear

- antibodies in Japanese patients with systemic sclerosis. *Br J Dermatol*, 2008; 158 (3) : 487-495.
- (26) Komura K, Fujimoto M, Yanaba K, Matsushita T, Matsushita Y, Horikawa M, Ogawa F, Shimizu K, Hasegawa M, Takehara K, Sato S, Blockade of CD40-CD40 ligand interactions attenuates skin fibrosis and autoimmunity in the tight-skin mouse. *Ann Rheum Dis*, 2008; 67(6): 867-872.
- (27) Saito Y, Hasegawa M, Fujimoto M, Matsushita T, Horikawa M, Takenaka M, Ogawa F, Sugama J, Steeber DA, Sato S, Takehara K, The loss of MCP-1 attenuates cutaneous ischemic-reperfusion injury in a mouse model of pressure ulcer. *J Invest Dermatol*, 2008; 128(7): 1838-1851.
- (28) Choi J, Koh E, Matsui F, Sugimoto K, Suzuki H, Maeda Y. et al. Study of azoospermia factor-a deletion caused by homologous recombination between the human endogenous retroviral elements and population-specific alleles in Japanese infertile males. *Fertil Steril*. 2008; 89, 1177-1182.
- (29) Koriyama Y, Tanii H, Ohno M, Kimura T, Kato S, A novel neuroprotective role of a small peptide from flesh fly, 5-S-GAD in the rat retina in vivo. *Brain Res*. 2008; 1240, 196-203.
- (30) Kilduff TS, Lein ES, de la Iglesia H, Sakurai T, Fu YH, Shaw P. New developments in sleep research: molecular genetics, gene expression, and systems neurobiology. *J Neurosci*. 2008; Nov 12;28(46):11814-8. Review.
- (31) Liu M, Thankachan S, Kaur S, Begum S, Blanco-Centurion C, Sakurai T, Yanagisawa M, Neve R, Shiromani PJ. Orexin (hypocretin) gene transfer diminishes narcoleptic sleep behavior in mice. *Eur J Neurosci*. 2008; Oct;28(7):1382-93.
- (32) Aikawa S, Ishii M, Yanagisawa M, Sakakibara Y, Sakurai T. Effect of neuropeptide B on feeding behavior is influenced by endogenous corticotropin-releasing factor activities. *Regul Pept*. 2008; Nov 29;151(1-3):147-52.
- (33) Mishima K, Fujiki N, Yoshida Y, Sakurai T, Honda M, Mignot E, Nishino S. Hypocretin receptor expression in canine and murine narcolepsy models and in hypocretin-ligand deficient human narcolepsy. *Sleep*. 2008; Aug 1;31(8):1119-26.
- (34) Xie X, Wisor JP, Hara J, Crowder TL, LeWinter R, Khroyan TV, Yamanaka A, Diano S, Horvath TL, Sakurai T, Toll L, Kilduff TS. Hypocretin/orexin and nociceptin/orphanin FQ coordinately regulate analgesia in a mouse model of stress-induced analgesia. *J Clin Invest*. 2008; Jul;118(7):2471-81.
- (35) Ohno K, Hondo M, Sakurai T. Cholinergic regulation of orexin/hypocretin neurons through M(3) muscarinic receptor in mice. *J Pharmacol Sci*. 2008; Mar;106(3):485-91.
- (36) Kaur S, Thankachan S, Begum S, Blanco-Centurion C, Sakurai T, Yanagisawa M, Shiromani PJ. Entrainment of temperature and activity rhythms to restricted feeding in orexin knock out mice. *Brain Res*. 2008; Apr 18;1205:47-54.
- (37) Tsuneki H, Murata S, Anzawa Y, Soeda Y, Tokai E, Wada T, Kimura I, Yanagisawa M, Sakurai T, Sasaoka T. Age-related insulin resistance in hypothalamus and peripheral tissues of orexin knockout mice. *Diabetologia*. 2008; Apr;51(4):657-67.
- (38) Matsuki T, Sakurai T. Orexins and orexin receptors: from molecules to integrative physiology. *Results Probl Cell Differ*. 2008; 46:27-55. Review.
- (39) Hondo M, Ishii M, Sakurai T. The NPB/NPW neuropeptide system and its role in regulating energy homeostasis, pain, and emotion. *Results Probl Cell Differ*. 2008; 46:239-56. Review.
- (40) Tsunematsu T, Fu LY, Yamanaka A, Ichiki K, Tanoue A, Sakurai T, van den Pol AN. Vasopressin

- increases locomotion through a V1a receptor in orexin/hypocretin neurons: implications for water homeostasis. *J Neurosci*. 2008; Jan 2; 28(1):228-38.
- (41) Ohno K, Sakurai T. Orexin neuronal circuitry: role in the regulation of sleep and wakefulness. *Front Neuroendocrinol*. 2008; Jan; 29(1):70-87. Review.
- (42) Ohkawa H, Fukuwa C, Matsuzawa-Nagata N, Yokogawa K, Omura K, Miyamoto K. Soybean fat supplementation controls insulin resistance caused by fat-free total parenteral nutrition. *J Pharm Pharmacol*. 2008; Apr; 60(4):461-5.
- (43) Hipkæo W, Sakulsak N, Wakayama T, Yamamoto M, Nakaya MA, Keattikunpaioj S, Kurobo M, Iseki S. Coexpression of menin and JunD during the duct cell differentiation in mouse submandibular gland. *Tohoku J Exp Med*. 2008; Mar; 214(3):231-45.
- (44) Tanii H, Higashi T, Nishimura F, Higuchi Y, Saijoh K. Effects of cruciferous allyl nitrile on phase 2 antioxidant and detoxification enzymes. *Med Sci Monit*. 2008; Oct; 14(10):BR189-92.
- (45) Akhter N, Shiba K, Ogawa K, Tsuji S, Kinuya S, Nakajima K, Mori H. A change of in vivo characteristics depending on specific activity of radioiodinated (+)-2-[4-(4-iodophenyl)piperidino]cyclohexanol [(+)-pIV] as a ligand for sigma receptor imaging. *Nucl Med Biol*. 2008; Jan; 35(1):29-34.
- (46) Stanyer L, Jorgensen W, Hori O, Clark JB, Heales SJ. Inactivation of brain mitochondrial Lon protease by peroxynitrite precedes electron transport chain dysfunction. *Neurochem Int*. 2008; 53(3-4):95-101.
- (47) Miura H, Takano K, Kitao Y, Hibino S, Choshi T, Murakami R, Suzuki H, Yamada M, Ogawa S, Hori O. A Carbazole Derivative Protects Cells Against Endoplasmic Reticulum (ER) Stress and Glutathione Depletion. *J Pharmacol Sci*. 2008; Oct; 108(2):164-71.
- (48) Takeshita Y, Takamura T, Ando H, Hamaguchi E, Takazakura A, Matsuzawa-Nagata N, Kaneko S. Cross talk of tumor necrosis factor- α and the renin-angiotensin system in tumor necrosis factor- α -induced plasminogen activator inhibitor-1 production from hepatocytes. *Eur J Pharmacol*. 2008; Jan 28; 579(1-3): 426-32.
- (49) Ota T, Gayet C, Ginsberg HN. Inhibition of apolipoprotein B100 secretion by lipid-induced hepatic endoplasmic reticulum stress in rodents. *J Clin Invest*. 2008; Jan; 118(1):316-32.
- (50) Minagawa H, Honda M, Miyazaki K, Tabuse Y, Teramoto R, Yamashita T, Nishino R, Takatori H, Ueda T, Kamijo K, Kaneko S. Comparative proteomic and transcriptomic profiling of the human hepatocellular carcinoma. *Biochem Biophys Res Commun*. 2008; Feb 1; 366(1):186-92.
- (51) Kahara T, Nakajima K, Takahashi K, Iwaki N, Michigishi T, Usuda R. Accumulations in the salivary gland due to Tc-99m pertechnetate imaging improved after isotope therapy for Graves' disease. *Intern Med*. 2008; 47(3):179-80.
- (52) Takahashi M, Hiyama Y, Yokoyama M, Yu S, Hu Y, Melford K, Bensadoun A, Goldberg IJ. In vivo arterial lipoprotein lipase expression augments inflammatory responses and impairs vascular dilatation. *Arterioscler Thromb Vasc Biol*. 2008; Mar; 28(3):455-62.
- (53) Teramoto R, Minagawa H, Honda M, Miyazaki K, Tabuse Y, Kamijo K, Ueda T, Kaneko S. Protein expression profile characteristic to hepatocellular carcinoma revealed by 2D-DIGE with supervised learning. *Biochim Biophys Acta*. 2008; May; 1784(5):764-72.
- (54) Kumamoto K, Spillare EA, Fujita K, Horikawa I, Yamashita T, Appella E, Nagashima M, Takenoshita S, Yokota J, Harris CC. Nutlin-3a activates p53 to both down-regulate inhibitor of growth 2 and

- up-regulate mir-34a, mir-34b, and mir-34c expression, and induce senescence. *Cancer Res.* 2008; May 1;68(9): 3193-203.
- (55) Kurita S, Takamura T, Ota T, Matsuzawa-Nagata N, Kita Y, Uno M, Nabemoto S, Ishikura K, Misu H, Ando H, Zen Y, Nakanuma Y, Kaneko S. Olmesartan ameliorates a dietary rat model of non-alcoholic steatohepatitis through its pleiotropic effects. *Eur J Pharmacol.* 2008; Jul 7;588(2-3):316-24.
- (56) Uno M, Kurita S, Misu H, Ando H, Ota T, Matsuzawa-Nagata N, Kita Y, Nabemoto S, Akahori H, Zen Y, Nakanuma Y, Kaneko S, Takamura T. Tranilast, an antifibrogenic agent, ameliorates a dietary rat model of nonalcoholic steatohepatitis. *Hepatology.* 2008; Jul;48(1):109-18.
- (57) Mizukoshi E, Eisenbach C, Edlin BR, Newton KP, Raghuraman S, Weiler-Normann C, Tobler LH, Busch MP, Carrington M, McKeating JA, O'Brien TR, Rehermann B. Hepatitis C virus (HCV)-specific immune responses of long-term injection drug users frequently exposed to HCV. *J Infect Dis.* 2008; Jul 15;198(2):203-12.
- (58) Nishino R, Honda M, Yamashita T, Takatori H, Minato H, Zen Y, Sasaki M, Takamura H, Horimoto K, Ohta T, Nakanuma Y, Kaneko S. Identification of novel candidate tumour marker genes for intrahepatic cholangiocarcinoma. *J Hepatol.* 2008; Aug;49(2):207-16.
- (59) Matsuzawa-Nagata N, Takamura T, Ando H, Nakamura S, Kurita S, Misu H, Ota T, Yokoyama M, Honda M, Miyamoto K, Kaneko S. Increased oxidative stress precedes the onset of high-fat diet-induced insulin resistance and obesity. *Metabolism.* 2008; Aug;57(8):1071-7.
- (60) Hara A, Wada T, Kitajima S, Toyama T, Okumura T, Kitagawa K, Iwata Y, Sakai N, Furuichi K, Higuchi M, Kaneko S. Combined pure red cell aplasia and autoimmune hemolytic anemia in systemic lupus erythematosus with anti-erythropoietin autoantibodies. *Am J Hematol.* 2008; Sep;83(9):750-2.
- (61) Takeshita Y, Takamura T, Minato H, Misu H, Ando H, Yamashita T, Ikeda H, Nakanuma Y, Kaneko S. Transformation of p53-positive papillary thyroid carcinoma to anaplastic carcinoma of the liver following postoperative radioactive iodine-131 therapy. *Intern Med.* 2008; 47(19):1709-12.
- (62) Tsuchiyama T, Nakamoto Y, Sakai Y, Mukaida N, Kaneko S. Optimal amount of monocyte chemoattractant protein-1 enhances antitumor effects of suicide gene therapy against hepatocellular carcinoma by M1 macrophage activation. *Cancer Sci.* 2008; Oct;99(10):2075-82.
- (63) Mizukoshi E, Honda M, Arai K, Yamashita T, Nakamoto Y, Kaneko S. Expression of multidrug resistance-associated protein 3 and cytotoxic T cell responses in patients with hepatocellular carcinoma. *J Hepatol.* 2008; Dec;49(6):946-54.
- (64) Minagawa H, Yamashita T, Honda M, Tabuse Y, Kamijo K, Tsugita A, Kaneko S. Comparative analysis of proteome and transcriptome in human hepatocellular carcinoma using 2D-DIGE and SAGE. *Protein J.* 2008; Dec;27(7-8):409-19.
- (65) Furuichi K, Gao JL, Horuk R, Wada T, Kaneko S, Murphy PM. Chemokine receptor CCR1 regulates inflammatory cell infiltration after renal ischemia-reperfusion injury. *J Immunol.* 2008; Dec 15;181(12):8670-6.
- (65) Ohmura M, Naka K, Hoshii T, Muraguchi T, Shugo H, Tamase A, Uema N, Ooshio T, Arai F, Takubo K, Nagamatsu G, Hamaguchi I, Takagi M, Ishihara M, Sakurada K, Miyaji H, Suda T, Hirao A. Identification of stem cells during prepubertal spermatogenesis via monitoring of nucleostemin promoter activity. *Stem Cells.* 2008; Dec;26(12):3237-46.
- (66) Yamashita T, Forgues M, Wang W, Kim JW, Ye Q, Jia H, Budhu A, Zanetti KA, Chen Y, Qin LX, Tang ZY, Wang XW. EpCAM and alpha-fetoprotein expression defines novel prognostic subtypes of

- hepatocellular carcinoma. *Cancer Res.* 2008; Mar 1;68(5):1451-61.
- (67) Yamashita T, Honda M, Kaneko S. Application of Serial Analysis of Gene Expression in cancer research. *Curr Pharm Biotechnol.* 2008; Oct;9(5):375-82.
- (68) Takamura T, Misu H, Yamashita T, Kaneko S. SAGE application in the study of diabetes. *Curr Pharm Biotechnol.* 2008; Oct;9(5):392-9.
- (69) Sakai Y, Honda M, Fujinaga H, Tatsumi I, Mizukoshi E, Nakamoto Y, Kaneko S. Common transcriptional signature of tumor-infiltrating mononuclear inflammatory cells and peripheral blood mononuclear cells in hepatocellular carcinoma patients. *Cancer Res.* 2008; Dec 15;68(24):10267-79.
- (70) Takamura T, Misu H, Matsuzawa-Nagata N, Sakurai M, Ota T, Shimizu A, Kurita S, Takeshita Y, Ando H, Honda M, Kaneko S. Obesity upregulates genes involved in oxidative phosphorylation in livers of diabetic patients. *Obesity* (Silver Spring). 2008; Dec;16(12):2601-9.
- (71) Popivanova BK, Kitamura K, Wu Y, Kondo T, Kagaya T, Kaneko S, Oshima M, Fujii C, Mukaida N. Blocking TNF-alpha in mice reduces colorectal carcinogenesis associated with chronic colitis. *J Clin Invest.* 2008; Feb;118(2):560-70.
- (72) Kato T, Yamashita T, Sekiguchi A, Tsuneda T, Sagara K, Takamura M, Kaneko S, Aizawa T, Fu LT. AGEs-RAGE system mediates atrial structural remodeling in the diabetic rat. *J Cardiovasc Electrophysiol.* 2008; Apr;19(4):415-20.
- (73) Kunieda T, Minamino T, Miura K, Katsuno T, Tateno K, Miyauchi H, Kaneko S, Bradfield CA, FitzGerald GA, Komuro I. Reduced nitric oxide causes age-associated impairment of circadian rhythmicity. *Circ Res.* 2008; Mar 14;102(5):607-14.
- (74) Park JM, Terabe M, Steel JC, Forni G, Sakai Y, Morris JC, Berzofsky JA. Therapy of advanced established murine breast cancer with a recombinant adenoviral ErbB-2/neu vaccine. *Cancer Res.* 2008; Mar 15;68(6):1979-87.
- (75) Wada T. Predicting outcome of IgA nephropathy by use of urinary epidermal growth factor: monocyte chemotactic peptide 1 ratio. *Nat Clin Pract Nephrol.* 2008; Apr;4(4):184-5.
- (76) Furuichi K, Wada T, Kaneko S, Murphy PM. Roles of chemokines in renal ischemia/reperfusion injury. *Front Biosci.* 2008; May 1;13:4021-8.
- (77) Takashima S, Sugimoto N, Takuwa N, Okamoto Y, Yoshioka K, Takamura M, Takata S, Kaneko S, Takuwa Y. G12/13 and Gq mediate S1P2-induced inhibition of Rac and migration in vascular smooth muscle in a manner dependent on Rho but not Rho kinase. *Cardiovasc Res.* 2008; Sep 1;79(4):689-97.
- (78) Iida N, Nakamoto Y, Baba T, Kakinoki K, Li YY, Wu Y, Matsushima K, Kaneko S, Mukaida N. Tumor cell apoptosis induces tumor-specific immunity in a CC chemokine receptor 1- and 5-dependent manner in mice. *J Leukoc Biol.* 2008; Oct;84(4):1001-10.
- (79) Ohmura M, Naka K, Hoshii T, Muraguchi T, Shugo H, Tamase A, Uema N, Ooshio T, Arai F, Takubo K, Nagamatsu G, Hamaguchi I, Takagi M, Ishihara M, Sakurada K, Miyaji H, Suda T, Hirao A. Identification of stem cells during prepubertal spermatogenesis via monitoring of nucleostemin promoter activity. *Stem Cells.* 2008; Dec;26(12):3237-46.
- (80) Takamatsu S, Matsui O, Gabata T, Kobayashi S, Okuda M, Ougi T, Ikehata Y, Nagano I, Nagae H. Selective induction hyperthermia following transcatheter arterial embolization with a mixture of nano-sized magnetic particles (ferucarbotran) and embolic materials: feasibility study in rabbits. *Radiat Med.* 2008; May;26(4):179-87.

- (81) Sato Y, Sawada S, Nakanuma Y. Fibulin-5 is involved in phlebosclerosis of major portal vein branches associated with elastic fiber deposition in idiopathic portal hypertension. *Hepatol Res* 2008 Feb; 38(2):166-73
- (82) Itatsu K, Zen Y, Yamaguchi J, Ohira S, Ishikawa A, Ikeda H, Sato Y, Harada K, Sasaki M, Sasaki M, Sakamoto H, Nagino M, Nimura Y, Ohta T, Nakanuma Y. Expression of matrix metalloproteinase 7 is an unfavorable postoperative prognostic factor in cholangiocarcinoma of the perihilar, hilar, and extrahepatic bile ducts. *Hum Pathol* 2008; May; 39(5): 710-719.
- (83) Harada K, Sato Y, Isse K, Ikeda H, Nakanuma Y. Induction of innate immune response and absence of subsequent tolerance to dsRNA in biliary epithelial cells relate to the pathogenesis of biliary atresia. *Liver Int* 2008; 28(5): 614-621.
- (84) Ikeda H, Sasaki M, Ohira S, Ishikawa A, Sato Y, Harada K, Zen Y, Nakanuma Y. Tumor necrosis factor-alpha induces the aberrant expression of mucus core protein-2 in non-neoplastic biliary epithelial cells via the upregulation of CDX2 in chronic cholangitis. *Hepatol Res* 2008; Oct ; 38(10) : 1006-17.
- (85) Sakai N, Wada T, Matsushima K, Kaneko S: Fibrocyte: New participant in the pathogenesis of renal fibrosis. *Inflammation and regeneration* 2008; 28, 20-26.
- (86) Wada T, Matsushima K, Kaneko S: The role of chemokines in glomerulonephritis. *Frontiers in Bioscience* 2008; 13, 3966-3974.
- (87) Furuichi K, Wada T, Kaneko S, Murphy PM. Roles of chemokines in renal ischemia reperfusion injury. *Frontiers in Bioscience* 2008; 13,4021-4028.
- (88) Sakai N, Wada T, Iwai M, Horiuchi M, Matsushima K, Kaneko S. The renin-angiotensin system contributes to renal fibrosis through regulation of fibrocytes. *J Hypertens* 2008; 26,780-790.
- (89) Furuichi K, Wada T, Kitajima S, Toyama T, Okumura T, Hara A, Kawachi H, Shimizu F, Sugaya T, Mukaida N, Narumi S, Matsushima K, Kaneko S. IFN-inducible Protein 10 (CXCL10) Regulates Tubular Cell Proliferation in Renal Ischemia-Reperfusion Injury. *Nephron Exp Nephrol* 2008; 109: c29-38.
- (90) Yamamoto Y, Ito Y, Takeda R, Karashima N, Demura M, Yoneda T, Takeda Y. Prevalence of primary aldosteronism in patients with prehypertension. *J Hypertens* 2008; 26, S68.
- (91) Takeda Y, Zhu A, Yoneda T, Karashima N, Yamamoto Y, Demura M. Effects of a high-salt diet on adipocyte mineralocorticoid and glucocorticoid receptor, and on 11-beta hydroxysteroid dehydrogenase 1, in salt-sensitive hypertensive rats. *J Hypertens* 2008; 26, S364
- (92) 志賀英明, 鷺山幸信, 広田京子, 土田明日香, 小川数馬, 山口博司, 間賀田泰寛, 天野良平, 三輪高喜, 古川 隼: 臨床応用可能な嗅神経アイソトープイメージングの開発. 日本味と匂学会誌, 2008; 15(3): 281-284.
- (93) 広田京子, 志賀英明, 土田明日香, 鷺山幸信, 天野良平, 三輪高喜, 古川 隼: タリウム-201 経鼻投与における安全性. 日本味と匂学会誌, 2008; 15(3): 527-528.
- (94) 東出朋巳, 緑内障手術研究の最新情報は? V 緑内障研究の最新情報. あたらしい眼科 2008; 25(臨増): 217-220.
- (95) 御簾博文, 篁 俊成 肝臓由来分泌タンパク質"ヘパトカイン"を標的とした 2 型糖尿病に対する新規治療法の開発 化学工業 2008 59:37-42.
- (96) 武田仁勇, 唐島成宙, 米田隆. 副腎静脈サンプリングにおける迅速コルチゾール測定法の有用性. ホルモンと臨床 2008; 56: 615-618.

医薬保健研究域・薬学系

- (1) Minami K, Nakajima M, Fujiki Y, Katoh M, Gonzalez FJ, Yokoi T. Regulation of insulin-like growth factor binding protein-1 and lipoprotein lipase by the aryl hydrocarbon receptor. *J Toxicol Sci.* 2008; Oct;33(4):405-13.
- (2) Nakamura A, Nakajima M, Higashi E, Yamanaka H, Yokoi T. Genetic polymorphisms in the 5'-flanking region of human UDP-glucuronosyltransferase 2B7 affect the Nrf2-dependent transcriptional regulation. *Pharmacogenet Genomics.* 2008; Aug;18(8):709-20.
- (3) Takagi S, Nakajima M, Mohri T, Yokoi T. Post-transcriptional regulation of human pregnane X receptor by micro-RNA affects the expression of cytochrome P450 3A4. *J Biol Chem.* 2008; Apr 11;283(15):9674-80.
- (4) Takahata Y, Takarada T, Osawa M, Hinoi E, Nakamura Y, Yoneda Y. Differential regulation of cellular maturation in chondrocytes and osteoblasts by glycine. *Cell Tissue Res.* 2008; Jul;333(1):91-103.
- (5) Fukui M, Nakamichi N, Yoneyama M, Ozawa S, Fujimori S, Takahata Y, Nakamura N, Taniura H, Yoneda Y. Modulation of cellular proliferation and differentiation through GABA(B) receptors expressed by undifferentiated neural progenitor cells isolated from fetal mouse brain. *J Cell Physiol.* 2008; Aug;216(2):507-19.
- (6) Takarada T, Hinoi E, Takahata Y, Yoneda Y. Serine racemase suppresses chondrogenic differentiation in cartilage in a Sox9-dependent manner. *J Cell Physiol.* 2008; May;215(2):320-8.
- (7) Shiratsuchi, A, Watanabe, I, Ju, J.-S, Lee, B. L, and Nakanishi, Y. Bridging effect of recombinant human mannose-binding lectin in macrophage phagocytosis of *Escherichia coli*. *Immunology* 2008; 124: 575-583.
- (8) Nakanishi Y, Hashimoto Y, Takizawa T, and Shiratsuchi A. (review) Mechanisms and consequences of phagocytosis of influenza virus-infected cells. *Anti-Inflammatory & Anti-Allergy Agents in Medicinal Chemistry* 2008; 7: 97-100.
- (9) Nagaosa K, Aikoshi I, Hasegawa Y, and Nakanishi Y. Activator protein 1-mediated expression of monocyte chemoattractant protein 1 in cultured rat luteal cells. *Mol. Reprod. Dev.* 2008; 75: 1077-1084.
- (10) Shiratsuchi A, Watanabe I, Yoshida H, and Nakanishi Y. Involvement of cannabinoid receptor CB2 in dectin-1-mediated macrophage phagocytosis. *Immunol. Cell Biol.* 2008; 86: 179-184.
- (11) Kitagaki S, Kawamura T, Shibata D, Mukai C. Investigation of oxacycle formation by base-promoted endo mode ring closing reaction of allenes. *Tetrahedron* 2008; 64(49):11086-95.
- (12) Hayashi Y, Miyakoshi N, Kitagaki S, Mukai C. Stereoselective total syntheses of uncommon sesquiterpenoids isolated from *Jatropha neopauciflora*. *Org Lett.* 2008; 10(12):2385-8.
- (13) Giri N, Shaik N, Pan G, Terasaki T, Mukai C, Kitagaki S, Miyakoshi N, Elmquist WF. Investigation of the role of breast cancer resistance protein (Bcrp/Abcg2) on pharmacokinetics and central nervous system penetration of abacavir and zidovudine in the mouse. *Drug Metab Dispos.* 2008; 36(8):1476-84.
- (14) Sai Y, Nishimura T, Shimpo S, Chishu T, Sato K, Kose N, Terasaki T, Mukai C, Kitagaki S, Miyakoshi N, Kang YS, Nakashima E. Characterization of the mechanism of zidovudine uptake by rat conditionally immortalized syncytiotrophoblast cell line TR-TBT. *Pharm Res.* 2008; 25(7):1647-53.
- (15) Hirose T, Miyakoshi N, Mukai C. Total synthesis of (+)-achalensolide based on the Rh(I)-catalyzed allenic Pauson-Khand-type reaction. *J Org Chem.* 2008; 73(3):1061-6.

- (16) Ishizaki J, Ito S, Jin M, Shimada T, Ishigaki T, Harasawa Y, Yokogawa K, Takami A, Nakao S, Miyamoto K. Mechanism of decrease of oral bioavailability of cyclosporin A during immunotherapy upon coadministration of amphotericin B. *Biopharm Drug Dispos.* 2008; May;29(4):195-203.
- (17) Kuraoka I, Ito S, Wada T, Hayashida M, Lee L, Saijo M, Nakatsu Y, Matsumoto M, Matsunaga T, Handa H, Qin J, Nakatani Y. and Tanaka K. Isolation of XAB2 complex involved in pre-mRNA splicing, transcription and transcription-coupled repair. *J. Biol. Chem.* 2008; 283: 940-950.
- (18) Hashimoto S, Egawa K, Ihn H, Igarashi A, Matsunaga T, Tateishi S, and Yamaizumi M. A new disorder in UV-induced skin cancer with defective DNA repair distinct from xeroderma pigmentosum or Cockayne syndrome. *J. Invest. Dermatol.* 2008; 128: 694-701.
- (19) Nagao A, Zhao X, Takegami T, Nakagawa H, Matsui S, Matsunaga T. and Ishigaki Y. Multiple shRNA expressions in a single plasmid vector improve RNAi against the XPA gene. *Biochem. Biophys. Res. Commun.* 2008; 370: 301-305.
- (20) Matsuura K, Wakasugi M, Yamashita K. and Matsunaga T. Cleavage-mediated activation of Chk1 during apoptosis. *J. Biol. Chem.* 2008; 283: 25485-25491.
- (21) Iwata D, Kato Y, Wakayama T, Sai Y, Kubo Y, Iseki S, Tsuji A. Involvement of carnitine/organic cation transporter OCTN2 (SLC22A5) in distribution of its substrate carnitine to the heart. *Drug Metab Pharmacokinet.* 2008; 23(3): 207-215.
- (22) Utsunomiya H, Katoono R, Yui N, Sugiura T, Kubo Y, Kato Y, Tsuji A. Cationic polyrotaxanes effectively inhibit uptake via carnitine/organic cationic transporters without cytotoxicity. *Macromol Biosci.* 2008; Jul 7; 8(7): 665-669.
- (23) Mitsuoka K, Miyoshi S, Kato Y, Murakami Y, Utsumi R, Kubo Y, Noda A, Nakamura Y, Nishimura S, Tsuji A. Cancer detection using a PET tracer, ¹¹C-glycylsarcosine, targeted to H⁺/peptide transporter. *J Nucl Med.* 2008; Apr; 49(4): 615-622.
- (24) Sugiura T, Kato Y, Wakayama T, Silver DL, Kubo Y, Iseki S, Tsuji A. PDZK1 regulates two intestinal solute carriers (Slc15a1 and Slc22a5) in mice. *Drug Metab Dispos.* 2008; Jun; 36(6): 1181-1188.
- (25) Yoshida Y, K. Suzuki A, Yamamoto N, Sakai, M, Bando, K. Tanimoto, Y. Yamaguchi T, Sakaguchi H, Akhter G, Fujii S.-i, Yoshimura S, Ogata M, Sohda Y, Misumi and Nakamura N. YIPF5 and YIF1A recycle between the ER and the Golgi apparatus and are involved in the maintenance of the Golgi structure. *Exp. Cell Res.* 2008; 314: 3427-3443.
- (26) Nakajima H, Yonemura S, Murata M, Nakamura N, Piwnicka-Worms H, and Nishida E. 2008. Myt1 protein kinase is essential for Golgi and ER assembly during mitotic exit. *J Cell Biol.* 2008; 181:89-103.
- (27) Bisel B, Wang Y, Wei J.H. Xiang Y. Tang D. Miron-Mendoza M. Yoshimura S. Nakamura N. and Seemann J. ERK regulates Golgi and centrosome orientation towards the leading edge through GRASP65. *J Cell Biol.* 2008; 182:837-43.

医薬保健研究域・保健学系

- (1) Shiga H, Kinoshita Y, Washiyama K, Ogawa D, Amano R, Hirota K, Tsukatani T, Furukawa M, Miwa T. Odor detection ability and thallium-201 transport in the olfactory nerve of traumatic olfactory-impaired mice. *Chem Senses.* 2008; Sep;33(7):633-7.
- (2) Yoshimoto M, Ogawa K, Washiyama K, Shikano N, Mori H, Amano R, Kawai K. alpha(v)beta(3)

- Integrin-targeting radionuclide therapy and imaging with monomeric RGD peptide. *Int J Cancer*. 2008; Aug 1;123(3):709-15.
- (3) Kinoshita Y, Shiga H, Washiyama K, Ogawa D, Amano R, Ito M, Tsukatani T, Furukawa M, Miwa T. Thallium transport and the evaluation of olfactory nerve connectivity between the nasal cavity and olfactory bulb. *Chemical Senses*. 2008; Jan;33(1):73-8.
- (4) Inaoka PT, Tachino K, Ryohei A, Yamazaki T, Yokogawa M, Tanaka S: Uptake behavior of Thallium-201 in hindlimb muscles of rats. *J Phys Ther Sci*, 2008; 20(2) : 117-122.
- (5) Yamamoto N, Maeda Y, Ikeda A, Sakurai H.: Regulation of thermotolerance by stress-induced transcription factors in *Saccharomyces cerevisiae*. *Eukaryot Cell* 2008; 7:783-790.
- (6) Shinohara K, Adachi M, Matsui K, Matsuda K, Nagaya S, Morishita E. A case of factor X (FX) deficiency due to novel mutation V196M, FX Hofu. *Int J Hematol*. 2008; Apr;87(3):256-9.
- (7) Ogata K, Takamura N, Tokunaga J, Kawai K, Arimori K. and Higuchi S. Dosage Plan of Flurbiprofen Injection Product using Inhibition of Protein Binding by Lipid Emulsion in Rats. *J. Pharm. Pharmacol*. 2008; 60: 15-20.
- (8) Nishio T, Takamura N, Nishii R, Tokunaga J, Yoshimoto M. and Kawai K. Influence of Haemodialysis on the Binding Sites of Human Serum Albumin; Possibility of an Efficacious Administration Plan using Binding Inhibition. *Nephrol. Dial. Transplant*. 2008; 23: 2304-2310.
- (9) Ishida Y, Kawai K, Magata Y, Ebihara K, Takeda R, Abe H, Yoshimoto M, Hashiguchi H, Odagiri K, Matsuo H. and Nishimori T. Differential Expression of Fos and Zif268 in the Nigrostriatal System after Methamphetamine Administration in a Rat Model of Parkinson's Disease. *Synapse*. 2008; 62: 920-926.
- (10) 島村きみ, 村中美緒, 井上 歩, 上田葵子, 紺家千津子, 大桑麻由美, 須釜淳子, 中谷壽男, 1 % キトサンオリゴ糖の長期腹腔内投与による皮膚創傷治癒への影響と腹膜炎の誘起. 形態・機能, 6 (2), 2008; 83-87.
- (11) 鷺山幸信, 大波加真弘, 天野良平, 自動血球計数装置 pocH-100iV と KX-21NV を用いたマウス血球計測に関する基礎的検討 *Sysmex Journal*. 2008; 31:25-37.
- (12) 椿淳裕, 田中正二, 立野勝彦: 2 週間および 6 週間の後肢懸垂が部分脱神経筋に及ぼす影響. 理学療法科学 2008; 23 : 777-784.
- (13) 金田絵里子, 西川由梨, 千代勇氣, 塚本直孝, 小野口昌久, 高山輝彦: 腎尿細管障害モデルラットにおける ^{99m}Tc -DMSA の体内動態. 金沢大学医学部保健学科卒業論文集: 2008; 1-8.
- (14) 千代勇氣, 塚本直孝, 金田絵里子, 西川由梨, 小野口昌久, 高山輝彦: 腎尿細管障害モデルラットにおける ^{99m}Tc -MAG 3 の体内動態. 金沢大学医学部保健学科卒業論文集: 2008; 9-16.

理工研究域・数物科学系

- (1) Fujishita H, Murakami S, Nakamura N, Kanou Y, Okamoto H. Spontaneous strain in high-temperature superconductor $\text{La}_{1.85}\text{Sr}_{0.15}\text{CuO}_4$. *Solid State Commun*. 2008; 145:246-249.
- (2) Fujishita H, Ogawaguchi A, Katano S. Analysis of Structures and Order Parameters in Antiferroelectric PbHfO_3 Using Neutron Diffraction. *J. Phys. Soc. Jpn*. 2008; 77: 064601-1-7.
- (3) Fujishita H, Yamada H, Okamoto H, Shitara S, Kato M, Y. Koike Y. Spontaneous strain in superconductors. *Acta. Cryst. A* 2008; 64:C429-C430.

- (4) Hayashi M, Fujishita H, Kanai T, Yamada T, Igawa N, Kihara K. Neutron diffraction study of quantum effects on structural phase transition in quartz. *Acta. Cryst. A* 2008; 64:C430-C430.

理工研究域・物質化学系

- (1) Ramesh A, Hasegawa H, Sugimoto W, Maki T, Ueda K. Adsorption of gold(III), platinum(IV) and palladium(II) onto glycine modified crosslinked chitosan resin, *Bioresource Technology*, 2008; 99: 3801-3809.
- (2) Hasegawa H, Shimomura M, Tada H, Kitahara K, Maki T, Ueda K. Influence of dissolved organic matter on iron speciation and scavenging in the Tedor River Estuary, *J. Ecotechnol. Res.* 2008; 14: 25-28.
- (3) Khawn H, Chen L.-Y, Kinoshita H, and Inomata K. Total Syntheses of Doubly Locked Biliverdin Derivatives toward Elucidation of the Stereochemistry of Phytochrome Chromophore, *Chem. Lett.* 2008; 37: No. 2, 198-199.
- (4) Sakai H, Ding X, Yoshida T, Fujinami S, Ukaji Y, and Inomata K. Asymmetric Hetero Diels-Alder Reaction of Nitroso Compounds Utilizing Tartaric Acid Ester as a Chiral Auxiliary, *Heterocycles*, 2008; 76: No. 2, 1285-1300.
- (5) Inomata K. Studies on the Structure and Function of Phytochromes as Photoreceptors Based On Synthetic Organic Chemistry. (Award Accounts), *Bull. Chem. Soc. Jpn.* 2008; 81: No. 1, 25-59.
- (6) Azizur Rahman M, Hasegawa H, Kitahara K, Maki T, Ueda K, Mahfuzur Rahman M. The effects of phosphorous on the accumulation of arsenic in water fern (*Azolla pinnata* L.), *J. Ecotechnol. Res.* 2008; 14: 21-24.
- (7) Azizur Rahman M, Hasegawa H, Ueda K, Maki T, Mahfuzur Rahman M. Arsenic uptake by aquatic macrophyte *Spirodela polyrhiza* L.: Interactions with phosphate and iron, *J. Hazard. Mater.* 2008; 160: 356-361.
- (8) Azizur Rahman M, Hasegawa H, Ueda K, Maki T, Mahfuzur Rahman M. Influence of chelating ligands on arsenic uptake by hydroponically grown rice seedlings (*Oryza sativa* L.): A preliminary study, *Clean - Soil, Air, Water*, 2008; 36: 521-527.
- (9) Azizur Rahman M, Hasegawa H, Ueda K, Maki T, Mahfuzur Rahman M. Influence of EDTA and chemical species on arsenic accumulation in *Spirodela polyrhiza* L. (duckweed), *Ecotoxicol Environ. Safety*, 2008; 70: 311-318.
- (10) Azizur Rahman M, Hasegawa H, Ueda K, Maki T, Mahfuzur Rahman M. Influence of phosphate and iron ions in selective uptake of arsenic species by water fern (*Salvinia natans* L.), *Chemical Engineering Journal*, 2008; 145: 179-184.
- (11) Azizur Rahman M, Hasegawa H, Mahfuzur Rahman M, Majid Miah M. A, Tasmin A. Arsenic accumulation in rice (*Oriza sativa* L.); Human exposure through food chain, *Ecotoxicol Environ. Safety*, 2008; 69: 317-324.
- (12) Azizur Rahman M, Hasegawa H, Mahfuzur Rahman M, Majid Miah M. A, Tasmin A. Straighthead disease of rice (*Oriza sativa* L.) induced by arsenic toxicuty, *Environmental and Experimental Botany*, 2008; 62: 54-59.
- (13) Serizawa M, Ukaji Y, and Inomata K. Catalytic Asymmetric Dialkynylation Reaction of α -Dinitrone by Utilizing Tartaric Acid Ester as a Chiral Auxiliary, *Tetrahedron: Asymmetry*, 2008; 19: No. 8, 921-931.

- (14) Yamazaki M, Guha S. K, Ukaji Y, and Inomata K. “Syn-Effect” in Nucleophilic Addition of Amines to 1,3-Dienyl Sulfone and Ethyl (E)-2,4-Pentadienoate. *Bull. Chem. Soc. Jpn.* 2008; 81: No. 6, 740-753.
- (15) Ohta A, Shirai M, Asakawa T, Miyagishi S. Effect of Stereochemistry on the Molecular Aggregation of Phenylalanine Dipeptide-type Surfactants. *J Oleo Sci.* 2008; 57(12):659-67.
- (16) Kinoshita S, Hasegawa H, Iwasa T, Saitou K, Okumura C, Maki T, Ueda K. Determination of dissolved metals in the presence of organic ligands using molecular recognition technology (MRT) products, *J. Ecotechnol. Res.* 2008; 14: 1-4.
- (17) Kato T, Fujinami S, Ukaji Y, and Inomata K. Asymmetric 1,3-Dipolar Cycloaddition Reaction of Azomethine Imines to Allyl Alcohol. *Chem. Lett.* 2008; 37, No. 3, 342-343.
- (18) Wei W.-L, Hamamoto Y, Ukaji Y, and Inomata K. Asymmetric Addition of Phenylzinc Reagents to C-Alkynyl Nitrones. Enantiomeric Enhancement by a Product-like Additive *Tetrahedron: Asymmetry*, 2008; 19: No. 4, 476-481.

理工研究域・自然システム学系

- (1) Hossain M, Shimizu S, Matsuki M, Imamura M, Sakurai S, Iwami M. Expression of 20-hydroxyecdysone-induced genes in the silkworm brain and their functional analysis in post-embryonic development. *Insect Biochem Mol Biol.* 2008; Nov;38(11):1001-7.
- (2) Morsy FM, Nakajima M, Yoshida T, Fujiwara T, Sakamoto T, Wada K. Subcellular localization of ferredoxin-NADP(+) oxidoreductase in phycobilisome retaining oxygenic photosynthetic organisms. *Photosynth Res.* 2008; Jan; 95(1):73-85.
- (3) Singtripop T, Manaboon M, Tatun N, Kaneko Y, Sakurai S. Hormonal mechanisms underlying termination of larval diapause by juvenile hormone in the bamboo borer, *Omphisa fuscidentalis*. *J Insect Physiol.* 2008; Jan; 54(1):137-45.
- (4) Tungjitwitayakul J, Singtripop T, Nettagul A, Oda Y, Tatun N, Sekimoto T, Sakurai S. Identification, characterization, and developmental regulation of two storage proteins in the bamboo borer *Omphisa fuscidentalis*. *J Insect Physiol.* 2008; Jan; 54(1):62-76.
- (5) The genome of a lepidopteran model insect, the silkworm *Bombyx mori*. International Silkworm Genome Consortium*. *Insect Biochem Mol Biol.* 2008; Dec; 38(12):1036-45.
 *Chinese group: Qingyou Xia, Jun Wang, Zeyang Zhou, Ruiqiang Li, Wei Fanc, Daojun Cheng, Tingcai Cheng, Junjie Qin, Jun Duan, Hanfu Xu, Qibin Li, Ning Li, Mingwei Wang, Fangyin Dai, Chun Liu, Ying Lin, Ping Zhao, Huijie Zhang, Shiping Liu, Xingfu Zha, Chunfeng Li, Aichun Zhao, Minhui Pan, Guoqing Pan, Yihong Shen, Zhihong Gao, Zilong Wang, Genhong Wang, Zhengli Wu, Yong Hou, Chunli Chai, Quanyou Yu, Ningjia He, Ze Zhang, Songgang Li, Huanming Yang, Cheng Lu, Jian Wang, and Zhonghuai Xiang. Japanese group: Kazuei Mita, Masahiro Kasahara, Yoichiro Nakatani, Kimiko Yamamoto, Hiroaki Abe, Brudrul Ahsan, Takaaki Daimon, Koichiro Doi, Tsuguru Fujii, Haruhiko Fujiwara, Asao Fujiyama, Ryo Futahashi, Shin-ichi Hashimoto, Jun Ishibashi, Masafumi Iwami, Keiko Kadono-Okuda, Hiroyuki Kanamori, Hiroshi Kataoka, Susumu Katsuma, Shinpei Kawaoka, Hideki Kawasaki, Yuji Kohara, Toshinori Kozaki, Reginaldo M. Kuroshu, Seigo Kuwazaki, Kouji Matsushima, Hiroshi Minami, Yukinobu Nagayasu, Tatsuro Nakagawa, Junko Narukawa, Junko Nohata, Kazuko Ohishi, Yukiteru Ono, Mizuko Osanai-Futahashi, Katsuhisa Ozakis, Wei Qug, Ladislav Rollerft, Shin Sasakig, Takuji Sasakiu, Atsushi Seinof, Masaru Shimomuraf, Michihiko Shimomura, Tadasu Shin-I, Tetsuro Shinoda, Takahiro Shiotsuki, Yoshitaka Suetsugu, Sumio Sugano, Makiko Suwa, Yutaka Suzuki, Shigeharu Takiya, Toshiki Tamura,

Hiromitsu Tanaka, Yoshiaki Tanaka, Kazushige Touhara, Tomoyuki Yamada, Minoru Yamakawa, Naoki Yamanaka, Hiroshi Yoshikawa, Yang-Sheng Zhong, Toru Shimadai and Shinichi Morishita.

がん研究所

- (1) Piao YS, Du YC, Oshima H, Jin JC, Nomura M, Yoshimoto T, Oshima M. Platelet-type 12-lipoxygenase accelerates tumor promotion of mouse epidermal cells through enhancement of cloning efficiency. *Carcinogenesis*. 2008; Feb; 29(2):440-7.
- (2) Guo X, Oshima H, Kitmura T, Taketo MM, Oshima M. Stromal fibroblasts activated by tumor cells promote angiogenesis in mouse gastric cancer. *J Biol Chem*. 2008; Jul 11; 283(28):19864-71.
- (3) Oguma K, Oshima H, Aoki M, Uchio R, Naka K, Nakamura S, Hirao A, Saya H, Taketo MM, Oshima M. Activated macrophages promote Wnt signalling through tumour necrosis factor-alpha in gastric tumour cells. *EMBO J*. 2008; Jun 18; 27(12):1671-81.
- (4) Popivanova BK, Kitamura K, Wu Y, Kondo T, Kagaya T, Kaneko S, Oshima M, Fujii C, and Mukaida N. Blocking TNF-alpha in mice reduces colorectal carcinogenesis associated with chronic colitis. *J Clin Invest*. 2008; 118 (2): 560-570.
- (5) Lu P, Li L, Kuno K, Wu Y, Baba T, Li Y-Y, Zhang X, and Mukaida N. Protective roles of the fractalkine/CX3CL1-CX3CR1 interactions in alkali-induced corneal neovascularization through enhanced anti-angiogenic factor expression. *J Immunol*. 2008; 180 (6): 4283-4291.
- (6) Furuichi K, Wada T, Kitajikma S, Toyama T, Okumura T, Hara A, Kawachi H, Shimizu F, Sugaya T, Mukaida N, Narumi S, Matsushima K, and Kaneko S. IFN-Inducible protein 10 (CXCL10) regulates tubular cell proliferation in renal ischemia-reperfusion injury. *Nephron Exp Nephrol*. 2008; 109 (1): c29-c38.
- (7) Tsuchiyama T, Nakamoto Y, Sakai Y, Mukaida N, and Kaneko S. Optimal amount of monocyte chemoattractant protein-1 enhances antitumor effects of suicide gene therapy against hepatocellular carcinoma by M1 macrophage activation. *Cancer Sci*. 2008; 99 (10): 2075-2082.
- (8) Iida N, Nakamoto Y, Baba T, Kakinoki K, Li Y-Y, Wu Y, Matsushima K, Kaneko S, and Mukaida N. Tumor cell apoptosis induces tumor-specific immunity in a CC chemokine receptor 1- and 5-dependent manner in mice. *J Leukocyte Biol*. 2008; 84 (4): 1001-1010.
- (9) Lu P, Li L, Wu Y, Mukaida N, and Zhang X. Essential contribution of CCL3 to alkali-induced corneal neovascularization by regulating vascular endothelial growth factor production by macrophages. *Mol Vis*. 2008; 14: 1614-1622.
- (10) Wu Y, Li Y-Y, Matsushima K, Baba T, and Mukaida N. CCL3-CCR5 axis regulates intratumoral accumulation of leukocytes and fibroblasts, and promotes angiogenesis in murine lung metastasis process. *J Immunol*. 2008; 181 (9): 6384-6393.
- (11) Ohmura M, Naka K, Hoshii T, Muraguchi T, Shugo H, Tamase A, Uema N, Ooshio T, Arai F, Takubo K, Nagamatsu G, Hamaguchi I, Takagi M, Ishihara M, Sakurada K, Miyaji H, Suda T, Hirao A. Identification of stem cells during prepubertal spermatogenesis via monitoring of nucleostemin promoter activity. *Stem Cells*. 2008; Dec;26(12):3237-46.
- (12) Naka K, Muraguchi T, Hoshii T, Hirao A. Regulation of reactive oxygen species and genomic stability in hematopoietic stem cells. *Antioxid Redox Signal*. 2008; Nov;10(11):1883-94.

- (13) Oguma K, Oshima H, Aoki M, Uchio R, Naka K, Nakamura S, Hirao A, Saya H, Taketo MM, Oshima M. Activated macrophages promote Wnt signalling through tumour necrosis factor- α in gastric tumour cells. *EMBO J.* 2008; Jun 18;27(12):1671-81.
- (14) Takubo K, Ohmura M, Azuma M, Nagamatsu G, Yamada W, Arai F, Hirao A, Suda T. Stem cell defects in ATM-deficient undifferentiated spermatogonia through DNA damage-induced cell-cycle arrest. *Cell Stem Cell.* 2008; Feb 7;2(2):170-82.
- (15) Iwanaga A, Wang G, Gantulga D, Sato T, Baljinnyam T, Shimizu K, Takumi K, Hayashi M, Akashi T, Fuse H, Sugihara K, Asano M, Yoshioka K. Ablation of the scaffold protein JLP causes reduced fertility in male mice. *Transgenic Res.* 2008; Dec;17(6):1045-58.
- (16) Sato T, Torashima T, Sugihara K, Hirai H, Asano M, Yoshioka K. The scaffold protein JSAP1 regulates proliferation and differentiation of cerebellar granule cell precursors by modulating JNK signaling. *Mol Cell Neurosci.* 2008 Dec; 39(4):569-78.
- (17) Gantulga D, Tuvshintugs B, Endo Y, Takino T, Sato H, Murakami S, Yoshioka K. The scaffold protein c-Jun NH2-terminal kinase-associated leucine zipper protein regulates cell migration through interaction with the G protein G(α 13). *J Biochem.* 2008; Dec;144(6):693-700.
- (18) Suzuki Y, Funakoshi H, Machide M, Matsumoto K, and Nakamura T. Regulation of cell migration and cytokine production by HGF-like protein (HLP)/macrophage stimulating protein (MSP) in primary microglia. *Biomed. Res.* 2008; 29: 77-84.
- (19) Nakamura T, Nakamura T. and Matsumoto K. The functions and possible significance of Kremen as the gatekeeper of Wnt signaling in development and pathology. *J. Cell. Mol. Med.* 2008; 12: 391-408.
- (20) Matsumoto K, Nakamura T, Sakai K, and Nakamura T. Hepatocyte Growth Factor and Met in Tumor Biology and Therapeutic Approach with NK4. *Proteomics*, 2008; 8: 3360-3370.
- (21) Yang G, Li Y, Nishimura EK, Xin H, Zhou A, Guo Y, Dong L, Denning MF, Nickoloff BJ, Cui R. Inhibition of PAX3 by TGF- β modulates melanocyte viability. *Mol Cell.* 2008; 32(4):554-63.
- (22) Sato-Jin K, Nishimura E.K, Akasaka E, Huber W, Nakano H, Miller A, Du J, Wu M, Hanada K, Sawamura D, Fisher D.E, and Imokawa G. Epistatic Connections between MITF and Endothelin signaling in Waardenburg Syndrome and other pigmentary disorders. *FASEB J.* 2008; 22(4):1155-68.
- (23) Minehata K, Kawahara A, Suzuki T. Meis1 regulates the development of endothelial cells in zebrafish. *Biochem Biophys Res Commun.* 2008; Oct 3;374(4):647-52.
- (24) Ishimura A, Chida S, Osada S. Man1, an inner nuclear membrane protein, regulates left-right axis formation by controlling nodal signaling in a node-independent manner. *Dev Dyn.* 2008; Dec; 237(12):3565-76.
- (25) 西村栄美, 「色素幹細胞」 遺伝子医学 Mook 別冊 進みつづける細胞移植治療の実際上巻, 株式会社メディカルドゥ, 2008; 110-114 頁.
- (26) 西村栄美, 「皮膚の幹細胞」 実験医学, 増刊 最先端の幹細胞研究, 2008; 107-112 頁.

保健管理センター

- (1) Furukawa Y, Yoshikawa H, Iwasa K, Yamada M. Clinical efficacy and cytokine network-modulating effects of tacrolimus in myasthenia gravis. *J Neuroimmunol.* 2008; Mar; 195(1-2):108-15.

フロンティアサイエンス機構

- (1) Guillaud L, Wong R, Hirokawa N. Disruption of KIF17-Mint1 interaction by CaMKII-dependent phosphorylation: a molecular model of kinesin-cargo release. *Nat Cell Biol.* 2008; Jan; 10(1):19-29.
- (2) Kumagai H, Nakamura K, Toki T, Morishita T, Okino K, Ishibashi J-I, Tsunogai U, Kawaguchi S, Gamo T, Shibuya T, Sawaguchi T, Neo N, Joshima M, Sato T. & Takai K. Geological background of the Kairei and Edmond hydrothermal fields along the Central Indian Ridge: Implications of their vent fluids' distinct chemistry. *Geofluids* 2008; 8: 239-251.
- (3) Morishita T, Hattori H. K, Terada K, Matsumoto T, Yamamoto K, Takebe M, Ishida Y, Tamura A. & Arai S. Geochemistry of apatite-rich layers in the Finero phlogopite-peridotite massif (Italian Western Alps) and ion microprobe dating of apatite. *Chemical Geology* 2008; 251, 99-111.
- (4) Shimizu Y, Arai S, Morishita T. & Ishida Y. Origin and significance of spinel-pyroxene symplectite in lherzolite xenoliths from Tallante, SE Spain. *Mineralogy and Petrology*, 2008;
- (5) Wong R, Blobel G. Cohesin subunit SMC1 associates with mitotic microtubules at the spindle pole. *Proc Natl Acad Sci U S A.* 2008; Oct 7; 105(40):15441-5.
- (6) 森下知晃, 荒井章司, 田村明弘, 石田義人. 北海道日高町の濃鮮緑色角閃石斑状変晶を含む角閃岩転石の岩石学. 岩石鉱物科学 2008; 37: 1-14.
- (7) 森下知晃, 中村謙太郎, 澤口隆, 原香織, 荒井章司, 熊谷英憲. 海洋リソスフェアの熱水変質に伴う元素移動. 地学雑誌 2008; 117: 220-252.

金沢大学学際科学実験センター年報第6号

編集委員（広報専門委員会委員）

柴 和弘（委員長）

橋本 憲佳

内山 正彦

西山 智明

2009年8月印刷

2009年8月発行

編集・発行 金沢大学学際科学実験センター

印刷所 田中昭文堂印刷株式会社